## DEPARTMENT OF AGRICULTURE, FOOD AND THE MARINE.

## EXPORT OF BOVINE SEMEN TO THE STATE OF ERITREA

Health Certificate number:	:		
Exporting country:	Ireland		
For completion by:	Official Veterinarian	n	
I. IDENTIFICATION	OF THE SEMEN		
Identity of donor bull( (name, date of birth, registration number)		Number and volume of semen straws	Date(s) of collection and date code(s) (*)
II. ORIGIN OF THE S  1) Name and address of	EEMEN  f Semen Collection (	Centre	
. 2) Approval number of			
3) Name and address of	f consignor:		
4) The semen consignm	ent is to be sent from	n (place of loading):	
III. DESTINATION OF TI  1) Name and address of			

2)	Means of transportation (including registration number of vehicle, flight number of aircraft or name of ship):
3)	Number of seal on transport container:
4)	Address of actual destination of semen:
5)	Import permit number(s):
IV. H	EALTH INFORMATION
Ι, the υ	undersigned, certify that:
Collec	semen described in Paragraph I was derived from bull(s) standing at the Semen tion Centre described in Paragraph II, which is approved by the competent veterinary ities of Ireland and is under official veterinary control;
subjec	or to entering the approved Semen Collection Centre, all bovine animals have been ted to a period of isolation of at least 28 days in special accommodation approved by impetent veterinary authority;
	nin the 28 day period prior to commencing the period of isolation referred to in aph IV 2) above, all the bovine animals have been subjected to the following tests:
purifie	BERCULOSIS: a comparative intradermal tuberculin test using avian and bovine ad protein derivative (PPD) tuberculins, with negative results according to the tment's standard interpretation;
IU/ml) *	UCELLOSIS:* a serum agglutination test (SAT) (negative SAT means less than 30 o, * a complement fixation test (CFT) (negative CFT means less than 20 ICFTU/ml), or
	ZOOTIC BOVINE LEUKOSIS: an agar gel immunodiffusion test (AGIDT) or e-linked immunosorbent assay (ELISA), with negative results;

e) BOVINE VIRAL DIARRHOEA: a virus isolation test (fluorescent antibody test or immunoperoxidase test) with negative results. In the case of an animal less than six months old, the test has been deferred until that age has been reached;

d) INFECTIOUS BOVINE RHINOTRACHEITIS/INFECTIOUS PUSTULAR VULVO-VAGINITIS (IBR/IPV): a serum neutralisation test (SNT) or enzyme-linked immunosorben

assay (ELISA) with negative results;

- **4**) during the period of 28 days isolation referred to in paragraph IV 2) above, all the bovine animals have been subjected to the following tests:
- a) BRUCELLOSIS: \* a serum agglutination test (SAT) (negative SAT means less than 30 IU/ml), \* a complement fixation test (CFT) (negative CFT means less than 20 ICFTU/ml), or \*......(a serological test prescribed by the OIE Terrestrial Manual for international trade), with negative results;
- b) INFECTIOUS BOVINE RHINOTRACHEITIS/INFECTIOUS PUSTULAR VULVO-VAGINITIS (IBR/IPV): a serum neutralisation test (SNT) or enzyme-linked immunosorbent assay (ELISA) with negative results;
- c) BOVINE GENITAL CAMPYLOBACTERIOSIS (*Campylobacter fetus venerealis*): an immunofluorescent antibody test or a culture test on a sample of preputial material, with negative results;
- d) TRICHOMONIASIS (*Trichomonas fetus*): a microscopic examination and culture test on a sample of preputial material, with negative results;
- 5) at regular 12-monthly intervals, all the bovine animals at the approved Semen Collection Centre are subjected to the following tests:
- a) TUBERCULOSIS: a comparative intradermal tuberculin test using avian and bovine purified protein derivative (PPD) tuberculins, with negative results according to the Department's standard interpretation;
- b) BRUCELLOSIS: \* a serum agglutination test (SAT) (negative SAT means less than 30 IU/ml), \* a complement fixation test (CFT) (negative CFT means less than 20 ICFTU/ml), or \*.....(a serological test prescribed by the OIE Terrestrial Manual for international trade), with negative results;
- c) ENZOOTIC BOVINE LEUKOSIS: an agar gel immunodiffusion test (AGIDT) or enzyme linked-immunosorbent assay (ELISA), with negative results;
- d) INFECTIOUS BOVINE RHINOTRACHEITIS/INFECTIOUS PUSTULAR VULVO-VAGINITIS (IBR/IPV): a serum neutralisation test (SNT) or enzyme-linked immunosorbent assay (ELISA) with negative results;
- e) BOVINE GENITAL CAMPYLOBACTERIOSIS (*Campylobacter fetus venerealis*): an immunofluorescent antibody test or a culture test on a sample of preputial material, with negative results;
- f) TRICHOMONIASIS (*Trichomonas fetus*): a microscopic examination and culture test on a sample of preputial material, with negative results;
- **6**) all the tests have been carried out at laboratories approved by the competent veterinary authority;
- 7) the semen described above is derived from donor bulls which:

a) showed no clinical signs of disease on the day(s) of semen collection;
b) have not been used for natural service while at the approved Semen Collection Centre;
c) have not been vaccinated against foot and mouth disease or infectious bovine rhinotracheitis/infectious pustular vulvo-vaginitis (IBR/IPV);
8) the semen described above:
a) has been treated during processing by the addition of antibiotics to produce these concentrations in the final diluted semen:
*EITHER: not less than: 500 IU per ml streptomycin, 500 IU per ml penicillin, 150 μg per ml lincomycin, 300 μg per ml spectinomycin
*OR: an alternative combination of antibiotics with an equivalent effect against Campylobacters, Leptospires and Mycoplasmas, namely
<ul> <li>b) has been stored in an approved Semen Collection Centre for at least 28 days before dispatch;</li> </ul>
<ul> <li>c) has been placed in a previously cleaned and disinfected container, which before dispatch was sealed under veterinary supervision. The seal number is stated at paragraph III 3) above.</li> </ul>
9) Ireland is free from foot and mouth disease and rinderpest in accordance with the OIE Terrestrial Animal Health Code;
10) the approved Semen Collection Centre in which the semen described above in paragraph I was collected is located at the centre of an area of 10 kilometres radius in which there has been no case of foot and mouth disease for at least 30 days prior to the date(s) of semen collection.
* Delete as appropriate
Official Stamp Signed  Official Veterinarian
Name in block letters
Date Address

